



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5425764
Dated/दिनांक : 06-10-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-11-2024 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-11-2024 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	350 Ton Hydraulic Auto Minting Press
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	hydraulic minting press
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Hydraulic Press Brake Machine, Double Action Hydraulic Press, Chest Press - Outdoor Gym Equipments, Laboratory Press, HYDRAULICALLY REGULATED DOOR CLOSERS, Press Grill, Styling Chair / Salon Chair / Swiveling Barber Chair, Oil press machine, Leg Press - Outdoor Gym Equipments, Shoulders Press Machine
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none">• Double Action Hydraulic Press
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज़ की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

350 Ton Hydraulic Auto Minting Press (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
--	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोटिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोटिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Palawar Nitin Gupta	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

India Government Mint, Hyderabad
IDA Phase-II
Cherlapally
Hyderabad-500051
Telangana
.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Technical specifications for 350 Ton Hydraulic Auto Minting Press

A. Specifications:

- i. Press Force (Variable) : 20-350 Ton
- ii. Metal of coins to be stamped: Precious metals like Pure Gold, Silver, Alloys of Gold & Silver and Quaternary Alloy (Ag 50%, Cu 40%, Ni 5% & Zn 5%) and other base metals like Copper-Bronze, Cupro-Nickel etc.
- iii. Dimension of coins to be stamped : Diameter : 10 mm to 90 mm
- iv. Thickness : 0.6 mm to 10 mm
- v. Output rate: Compatible with standard coin dies, min 05 to 14 (fourteen) parts (medal size ϕ 25/27/38/44 mm) per minute in manual feeding mode for single stroke.
- vi. Operational Controls : Start/stop buttons, variable press force configuration/ setting, Hydraulic pressure indicator, User-friendly control panel with intuitive interface for easy operation and monitoring, Number of Pieces Embossed Information on Display, Standard Electric Operating Control Panel, Emergency stop.
- vii. Multiple pressing and dwell time :
 - Highest Possible Embossing Forces
 - High Stroke Rate & Faster Production
 - Multiple Stroke with Variable Forces and Die Lifting,
 - Multiple Stroke with Two Way Operating Pumps,
 - Auto Embossing & Ejecting System,
 - Press should have multiple pressings from 2 to 5 different programmable coining and locking forces with variable preselected dwell time in a closed tool.
 - Press should maintain the selected pressure on the embossed blank/coin for the selected time and after the lapse of time, press force should be decreased to the adjustable locking forces.
 - The dwell time should be activated for all single and multiple pressings.
 - The tool should remain closed for all the different forces selected so that distortion of impression (doubling) will be avoided.
- viii. Pressing Speed: Adjustable pressing speed.
 - Stroke Length: Adjustable stroke length for flexibility in coin design and dimensions
 - Working Thrust 350 Bar Pressure
 - Working Speed 14 To 15 Per Minute,
- ix. Ejection force for stamped piece: Ejecting Force for Stamped Pieces - 7 Tons
Auto Embossing & Ejecting System,
- x. Air blow for blank cleaning: Machine should consist of air blow arrangement for cleaning of the blanks before stamping.
- xi. Coining Tool:
 - Die Change System: Quick and efficient die change system for mini

mizing downtime during product changeovers

- Easy One Rotation Die Fixing and Removing Accessories,
- Light arrangement at tooling space is essential.
- Necessary controls are to be provided in tooling to avoid wrong positioning and 'no charging' of blank or piece to be stamped.

xii. Electric Control: • Electric Motor 10 HP, Max.

- Programmable Logic Controller of Siemens / Allen Bradley / Schneider/ Mitsubishi/ Toshiba /Panasonic/Bosch etc.
- Touch Screen Menu Navigation,
- Auto Embossing & Ejecting System,
- Operation control panel for setup, adjustment and operation parameter of different coins.

xiii. Hydraulic system:

- Press Frame: Heavy-duty steel frame construction for rigidity and stability
- Heavy Duty Piston Cylinder,
- High/Low Pressure System having indicator,
- The electric motor should have sufficient power to drive the hydraulic pump and maintain consistent pressure throughout the stamping process.
- The hydraulic reservoir should have an adequate capacity to accommodate the hydraulic fluid required for the operation, allowing for efficient cooling and filtration.
- Hydraulic Cylinders:
 - The stamping press should be equipped with hydraulic cylinders capable of exerting the required force for stamping silver and gold coins. The cylinders should be robust, corrosion-resistant, and designed to withstand high pressures and repetitive stamping cycles.
- Control System:
 - The hydraulic system should incorporate a reliable and user-friendly control system.
- Hydraulic Fluid:
 - The hydraulic system should use a high-quality hydraulic fluid suitable for stamping silver and gold coins.
 - The fluid should possess excellent lubricating properties, corrosion resistance, and thermal stability to ensure smooth and consistent operation of the system.
- Maintenance and Service: The hydraulic system should be designed for ease of maintenance, with readily accessible components for inspection, repair, and replacement.
- Adequate provision for preventive maintenance, including regular fluid changes, filter replacements, and system checks, should be incorporated into the design.

xiv. Safety:

- Safety Features: Integrated safety measures including emergency stop buttons, safety guards, The HPU should consist of a hydraulic pump, electric motor, reservoir, filters, valves, and pressure regulator

rs.

- Hand Guard Safety Sensor,
- Hard Base Plate,
- Noise level to be maintained at <75 dB

xv. Cooling System: Cooled System for Oil temperature control.

xvi. Tools & accessories : All necessary tooling required for setting up of the medal (finished) dies of Ø 22, 27, 33, 35, 44, 50 mm to be provided by the supplier, also the drawings of such tooling's to be provided in 2 copies. Complete Tools Set with Allen keys for coining dies changes.

B. OTHER SPECIFICATIONS:

- a. A set value and real time value of different parameters like Press Force, Inchin g Model, intake current by main motor etc. shall be displayed on HMI unit durin g the operations.
- b. A control system should be interactive with visual aids, menu driven and opera tor friendly.
- c. The machine shall have facility of remote maintenance (wherever feasible) as and when required by IGMH.
- d. Safety features & suitable Fault finding system shall be provided.
- e. All the electrical devices shall be energy efficient, easy to maintain and of lates t technology proven in the market and not on the verge of obsolescence.
- f. IGMH shall Provide Supply of Electricity, Air and water. All the auxiliaries and a ccessories require for operating the Stamping Press shall be in the scope of the supplier.
- g. The machine shall have facility of remote maintenance as and when required b y IGMH (Optional).
- h. Acoustic Noise Protection (< 75 DB) shall be provided.
- i. Ambient condition: 45°C, Rh: 95% max.
- j. Machine should be Energy efficient, maintaining power factor of more than 0.9 and should comply with BEE guidelines.
- k. Pneumatic system attached with the Stamping Press, if any shall be able to op erate smoothly with the pressure of 5 to 6 bar compressed air.
- l. Centralized automatic Lubrication system shall be provided along with the mac hine. The system shall be total with coverage to all required points with proper f iltration system for re-circulation of lubricant oil. There shall be a separate tank for this system.
- m. Bidder should provide sales and service support including supply of spares and consumables for minimum 10 years from the date of Final Acceptance Certificat e (FAC).

- n. Anti-vibration pads for base of the machine must be supplied by the firm, if required.
- o. IGMH shall Provide Supply of Electricity and water. Civil work, and all the auxiliaries and accessories require for operating the machine shall be in the scope of the supplier.

C. Documentation:

- a. Successful bidder will have to provide soft and 3Nos. hard copies (in English) of Electrical Circuit Diagram complete with PLC ladder diagrams, drive parameters , interfacing drawing etc. along with detailed spare parts list and product catalogue of major equipment.
- b. Successful bidder will have to provide backup copies of software of operating system, machine programs, any PLC Controller (Micro/ PID/Temperature) and drives installed on the machine for trouble shooting of faults by IGMs
- c. Successful bidder will have to provide soft and 3Nos. hard copies of Operating and Maintenance manual (Mechanical, Hydraulic & Pneumatic) in English along with spare part catalogue, drawings.
- d. Successful bidder will have to provide foundation and machine lay out drawing including electrical cable/air/oil and water trench details.

D. Installation, Startup and Training:

- a. Successful bidder shall include installation, testing commissioning and successful trial run of the machine as per the specification mentioned in tender at work site of purchaser.
- b. Successful bidder shall provide the onsite training to IGMs employee for 6 working days (eight hours per shift) at respective machine installation site after successful commissioning of the machine.

E. Spare Parts and Consumables:

- a. Bidder shall provide list of spares and consumables required for Five (5) years from date of Final Acceptance Certificate (FAC) in their technical bid(without prices). Quote the rates for these spares separately in financial breakup column(or upload the pdf form with price breakup). These rates for spares will not be considered while deciding L1. Also, the bidder should only quote the total cost for manufacturing, supply, installation of the tendered machine/goods in total cost column on GeM price bid.

F. Final Acceptance Test:

- a. After successful installation and commissioning of the machine, FAT will be carried out in presence of bidder's representative/engineer for two (2) working days at installation site as per the specifications and quality parameters as mentioned in this tender document. Performance will be observed on silver/copper for 22/27mm dia (medal size) and thickness 1.2 - 1.6mm with operation speed of 10 Strokes per minute in manual mode.
- b. The date of FAT will be decided on mutual agreement.
- c. FAT shall be carried out for two (2) working days in single shift of 8 hours with
- d. During period of FAT, the firm has to depute their Engineer for monitoring and recording the test result.
- e. Performance test shall be carried out for all functional, quality, operational and safety interlock check by the successful bidder for the machine.
- f. Test certificates from NABL or International Standard Certificate for Tooling Material wherever required.
- g. Final Acceptance Certificate (FAC) shall be issued after successful FAT.

2. Eligibility Criteria

- i. For MSE/Startup Firm: capability-Equipment & Manufacturing Facilities: The bidder firm should have capability to manufacture and supply of tendered item.
- ii. For other firm: Experience and past performance: The bidder firm may be Manufacturer/proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).
- iii. The bidder should submit the acceptance of technical specification of the tender.

The bidder should submit a stamped & signed copy of tender document as a token of acceptance of all the terms & conditions of the tender.

7. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

9. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

10. **Generic**

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

included

.

11. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

12. **Inspection**

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---