

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687748871682

अनुबंध तिथि | Generated Date : 02-Jun-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/5902802](#)

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|---|
| प्ररूप Type : Central PSU | पद Designation : Junior Office Assistant |
| मंत्रालय Ministry : Ministry of Finance | संपर्क नंबर Contact No. : 040-27268300-117 |
| विभाग Department : Department of Economic Affairs | ईमेल आईडी Email ID : buyer70.spmcils.ts@gembuyer.in |
| संगठन का नाम Organisation : Security Printing and Minting Corporation of India Limited | जीएसटीआईएन GSTIN : - |
| नाम : (SPMCIL) | India Govt Mint, IDA, Phase-II Cherapally, (R.R district) |
| कार्यालय क्षेत्र Office Zone: janpath | पता Address : Hyderabad , Telangana, Hyderabad, TELANGANA-500051, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|---|--|
| आईएफडी सहमति IFD Concurrence : No | Role: PAO |
| प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: JGM (TO) | भुगतान का तरीका Payment Mode: Offline |
| वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: DGM(F&A) | पद Designation : DGM Finance |
| | ईमेल आईडी Email ID : pao1.ofb.tel@gembuyer.in |
| | जीएसटीआईएन GSTIN : 36AAJCS6111J2Z8 |
| | India Govt Mint, IDA, Phase-II Cherapally, (R.R district) |
| | पता Address: Hyderabad , Telangana, Hyderabad, TELANGANA-500051, India |

| विक्रेता विवरण Seller Details |
|---|
| जेम विक्रेता आईडी GeM Seller ID : 219A180000109950 |
| कंपनी का नाम Company Name : M/S KALIN ENGINEERING WORKS |
| संपर्क नंबर Contact No. : 09450939295 |
| ईमेल आईडी Email ID : info@kalinlights.co.in |
| पता Address : PLOT No 186 BEHIND SBI PANKI,208020_kalin,Kalin Engineering Works, 186, C- block, Behind SBI, Panki, Kanpur-208020 UP,Kanpur, Kanpur Nagar, UTTAR PRADESH-208020, - |
| एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-43-0011903 |
| जीएसटीआईएन GSTIN: 09AFZPA4304B1ZP (R) , (M) |
| खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : Verified |
| खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Verified |
| एमएसई सामाजिक श्रेणी MSE Social Category : General |
| एमएसई लिंग श्रेणी MSE Gender : Male |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : Tripod Revolving Search Light ब्रांड Brand : KALIN ब्रांड प्रकार Brand Type : NA कैटलॉग की स्थिति Catalogue Status: NA कैसे बेचा जा रहा है Selling As : NA श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : NA (-) मॉडल Model: TRI-LRFL-25PC25 एचएसएन कोड HSN Code: 94054010 | 6 | pieces | 34,900 | NA | 209,400 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 209,400 |

| परोक्षी विवरण Consignee Detail | | | | | | |
|----------------------------------|---------------------|--------------|--------------------|-------------------|------------------------------------|---|
| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है | वितरण पूरा कब तक करना है Delivery To Be |

| | | | | | | |
|--|---|---|---|---|----------------------|--------------|
| | | | | | Delivery Start After | Completed By |
| 1 | पद Designation : - ईमेल आईडी Email ID : con170.spmcils.ts@gembuyer.in संपर्क Contact : 040-27268300-221 जीएसटीआईएन GSTIN : 36AAJCS6111J2Z8 पता Address : India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana, Hyderabad, TELANGANA-500051, India | Tripod Revolving Search Light | - | 6 | 02-Jun-2025 | 02-Jul-2025 |
| Product Specification for Tripod Revolving Search Light | | | | | | |
| विनिर्देश Specification | | उप-विनिर्देश Sub-Spec | | | मूल्य Value | |
| Custom Specification | | Custom Specification | | | Yes | |
| विक्रेता विशिष्टता दस्तावेज़ Seller Specification Document: | | | | | | |
| 1. SpecificationDocument1 | | mkp.gem.gov.in/catalog_data/catalog_support_document/68/51/577/CatalogAttrs/SpecificationDocument/2025/2/19/2025_02_19_05_31_02_gem_spm_hyd_tri250_6pcs_2025-02-19-05-34-11_263884f3c8992a688ec08d7f40f9bdbb5.pdf | | | | |
| खरीदार विशिष्टता दस्तावेज़ Buyer Specification Document: | | | | | | |
| 1. SpecificationDocument | | mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/12427664/54/78/703/CatalogAttrs/SpecificationDocument/2025/1/16/technical_specifications_of_rsl_2025-01-16-15-48-42_2f9a6ae94f77cfda2b53181986fac1ea.pdf | | | | |
| ईपीबीजी विवरण ePBG Detail | | | | | | |
| सलाहकार बैंक Advisory Bank : | | | | | NA | |
| ईपीबीजी प्रतिशत (%) ePBG Percentage(%): | | | | | NA | |
| नियम और शर्तें Terms and Conditions | | | | | | |
| 1. General Terms and Conditions- | | | | | | |
| 1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace. | | | | | | |
| 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable | | | | | | |
| 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract. | | | | | | |
| 2. Buyer Added Bid Specific Terms and Conditions- | | | | | | |
| 2.1 <i>Generic</i> Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %. | | | | | | |
| 2.2 <i>Generic</i> Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection. | | | | | | |
| 2.3 <i>Generic</i> Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid | | | | | | |
| 2.4 <i>Generic</i> Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only. | | | | | | |
| 2.5 <i>Generic</i> While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST. | | | | | | |
| 2.6 <i>Scope of Supply</i> : Scope of supply (Bid price to include all cost components) : Only supply of Goods | | | | | | |
| 2.7 <i>Certificates</i> : Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any. | | | | | | |
| 2.8 <i>Warranty</i> : Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid. | | | | | | |

Technical specification for Tripod Mounted Revolving Search Light:

1. Input operating voltage: 100 volt 305volt, 50 Hz
2. Power rating: 250W LED (SMD only)
3. LED Driver details: Isolated & potted type, constant current. IP67 BIS approved.
4. LED efficacy: 140 l/w (SMD only)
5. System Efficacy: >100 L/w.
6. Focus range: Minimum 800 meters.
7. T.H.D.: Less than 20% at full load.
8. Colour temp : 5000- 6000K
9. Lens Optical grade lens, efficiency >90%
10. Beam angle: Narrow beam, 5 degree. (+/-1 degree)
11. Efficiency: Greater than 90%.
12. Power factor: Minimum 35%
13. Protection: Over Voltage Protection, Short Circuit Protection, Over Current Protection and Surge Protection 10kv.
14. Auto cut-off feature: Auto cut-off at high voltage, low voltage, high temp.
15. Auto restart feature: Auto restart when voltage temp get it normal.
16. Impact resistance: Minimum IK-07
17. Toggle switch: A toggle switch on back side of light to on/off the light locally
18. Housing: Round shapes, PDC, LM6, Powder Coated, IP66 norms.
19. Illumination level: Minimum illumination on is 8000 lux at 10meter away.
20. Operating temperature: - 10 degree C to +55 degree C or better.
21. Housing Diameter : not less than 400mm
22. Front Cover: Toughened clean glass of thickness 4mm (+-0.5 mm)
23. Gasket: High grade silicon gasket, ensuring IP66 norms of enclosure.
24. Driver enclosure: It shall be used for driver as additional safety, made by PDC L M6 material with epoxy powder coated in surface.
25. Fixing of driver enclosure: Shall be attached with search light back side.
26. Earthing: Enclosure having termination of the earthing to make it shockproof.
27. Safety Norms: As per IEC 62471/EN 62471/IS:16108
28. Test certificates to submit to IGMH to check quality standards of offered 250wat t LED search light fixture.
 - a. LM-79/IS: 16106 lest report from a NABL accr. Lab
 - b. LM-80/IS: 16105 lest report in favor of supplier/OEM.
 - c. IP-66 test report from a NABL accredited Lab
 - d. BIS approval of LED driver as per IS:15885-2-13
 - e. BIS approval of offered LED search light.
 - f. Lux test report (from Govt. only) at 10 mtrs away
29. Revolving mechanism (Tripod): Tripod stand will be made in such a way that the light can be revolve 360 deg. horizontally & 60 deg. vertically with instant locking.
30. Material/MOC: Mild steel tubular pipe, min 16 swg, 70mm dia, powder coated.
31. Stand Height: Standard pillar height is 1 meter.(+/- 50mm)
32. Mounting of Light: Round plate with ball bearing housing provided at top to fix t he LED
33. Wheels at bottom: 4 No's castor lockable wheels to be provided to easy moveme nt at floor.
34. Locking knob: Built-in position locking knob below to top plate.
35. J-hooks: Provision J- hooks on body for extra cable wrapping.
36. Cable entry: Provision of 2 holes with gland for power cable input at bottom side and top side provided for supply upto search light.
37. Paint: All the metal parts would be painted by powder coated or Ni/Cr
38. Hardware: All the hardware used shall be in stainless steel only.
39. Body weight including all : 6 KG (+/-1 KG) or lighter weight
40. Warranty: 2 years

Note:

1. Duly signed, stamped & sealed GeM Bid document to be submitted.
2. Any other documents fulfilling all the Criteria of the GeM bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.