

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-05-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	25-05-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Finance
विभाग का नाम/Department Name	Department Of Economic Affairs
संगठन का नाम/Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम/Office Name	3rd Floor Tower G World Trade Centre Nauroji Nagar
कुल मात्रा/Total Quantity	4034
वस्तु श्रेणी /Item Category	10 Pair MDF Box with Krone Module , 20 Pair MDF Box with Krone Module , 50 Pair MDF Box with Krone Module , 100 Pair MDF Box with Krone Modul , 20 Pair 0.5mm Unarmoured Telephone Cable , 2 Pair Telephone Cable , Table Telephone Instrument , 1 Pair Telephone Cable
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	1 Pair Telephone Cable
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Untarred Sisal Rope (V2) Conforming To IS 1321 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Elastomer Sheathed Cables
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Field Telephone Cable (Telecommunication Cable)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	10 Pair MDF Box with Krone Module
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT

Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10 Pair MDF Box With Krone Module (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
---	--------------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	5	30

20 Pair MDF Box With Krone Module (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
--	--------------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	7	30

50 Pair MDF Box With Krone Module (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
--	--------------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	1	30

100 Pair MDF Box With Krone Modul (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
---	--------------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	1	30

20 Pair 0.5mm Unarmoured Telephone Cable (2000 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
---	--------------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	2000	30

2 Pair Telephone Cable (1500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer
Specification Document

[Download](#)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	1500	30

Table Telephone Instrument (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer
Specification Document

[Download](#)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	20	30

1 Pair Telephone Cable (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer
Specification Document

[Download](#)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gadham Vidyasagar	500051,India Govt Mint, IDA, Phase-II Cherapally, (R.R district) Hyderabad , Telangana	500	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

A) Technical Specifications for the following items:

1) Technical Specifications 10 Pair MDF Box with Krone Module:

Designed to terminate 10 telephone pairs.

1. Shall include one (1) x 10-pair Krone module (disconnect type preferred).
2. MDF shall be Outdoor Type with powder-coated CRCA (Cold Rolled Close Annealed) steel.
3. Outdoor Boxes: Minimum IP55 as per IEC 60529 (Protection against dust and low-pressure water jets from any direction).

Hinged door with locking arrangement (e.g., cam lock with key, or quarter-turn lock) to prevent unauthorized access.

4. Cable entry/exit points with robust grommets or glands to protect cables and maintain IP rating.

5. There should be Provision for earthing/grounding terminal.

Sufficient internal space for proper cable management, bending radius, and dressing. The supplied MDF boxes and Krone modules shall be new, unused, of the highest quality, and free from defects in material and workmanship.

6. All modules and accessories shall be fully compatible with each other and with existing standard telecommunication infrastructure.

7. Krone Mounting: Modules shall be snap-in type or screw-in type, securely mounting onto a standard back-mount frame within the MDF box.

8. The equipment shall be suitable for continuous operation in the climatic conditions prevalent in Hyderabad (Telangana, India), including high temperatures, humidity, and dust.

9. Krone Module Type: LSA-PLUS or equivalent Insulation Displacement Connection (IDC) type.

10. Termination: Capable of terminating solid copper conductors from 0.4mm to 0.8mm diameter (26 AWG to 20 AWG).

11. Krone Insertion Life: Minimum 200 insertions for conductors without degradation of connection quality.

12. Warranty: A minimum of 1 year comprehensive warranty shall be provided by the manufacturer against manufacturing defects and performance issues.

2) Technical Specifications 20 Pair MDF Box with Krone Module:

1. Designed to terminate 20 telephone pairs.

2. Shall include two (2) x 10-pair Krone modules (disconnect type preferred).

3. MDF shall be Outdoor Type with powder-coated CRCA (Cold Rolled Close Annealed) steel.

4. Outdoor Boxes: Minimum IP55 as per IEC 60529 (Protection against dust and low-pressure water jets from any direction).

5. Hinged door with locking arrangement (e.g., cam lock with key, or quarter-turn lock) to prevent unauthorized access.

6. Cable entry/exit points with robust grommets or glands to protect cables and maintain IP rating.

7. There should be Provision for earthing/grounding terminal.

Sufficient internal space for proper cable management, bending radius, and dressing. The supplied MDF boxes and Krone modules shall be new, unused, of the highest quality, and free from defects in material and workmanship.

8. All modules and accessories shall be fully compatible with each other and with existing standard telecommunication infrastructure.

9. Krone Mounting: Modules shall be snap-in type or screw-in type, securely mounting onto a standard back-mount frame within the MDF box.

10. The equipment shall be suitable for continuous operation in the climatic conditions prevalent in Hyderabad (Telangana, India), including high temperatures, humidity, and dust.

11. Krone Module Type: LSA-PLUS or equivalent Insulation Displacement Connection (IDC) type.

12. Termination: Capable of terminating solid copper conductors from 0.4mm to 0.8mm diameter (26 AWG to 20 AWG).

13. Krone Insertion Life: Minimum 200 insertions for conductors without degradation of connection quality.

14. Warranty: A minimum of 1 year comprehensive warranty shall be provided by the manufacturer against manufacturing defects and performance issues.

3) Technical Specifications for 50 Pair MDF Box with Krone Module:

1. Designed to terminate 50 telephone pairs.

2. Shall include five (5) x 10-pair Krone modules (disconnect type preferred).

3. MDF shall be Outdoor Type with powder-coated CRCA (Cold Rolled Close Ann

ealed) steel.

4. Outdoor Boxes: Minimum IP55 as per IEC 60529 (Protection against dust and low-pressure water jets from any direction).
5. Hinged door with locking arrangement (e.g., cam lock with key, or quarter-turn lock) to prevent unauthorized access.
6. Cable entry/exit points with robust grommets or glands to protect cables and maintain IP rating.
7. There should be Provision for earthing/grounding terminal.
8. Sufficient internal space for proper cable management, bending radius, and dressing. The supplied MDF boxes and Krone modules shall be new, unused, of the highest quality, and free from defects in material and workmanship.
9. All modules and accessories shall be fully compatible with each other and with existing standard telecommunication infrastructure.
10. Krone Mounting: Modules shall be snap-in type or screw-in type, securely mounting onto a standard back-mount frame within the MDF box.
11. The equipment shall be suitable for continuous operation in the climatic conditions prevalent in Hyderabad (Telangana, India), including high temperatures, humidity, and dust.
12. Krone Module Type: LSA-PLUS or equivalent Insulation Displacement Connection (IDC) type.
13. Termination: Capable of terminating solid copper conductors from 0.4mm to 0.8mm diameter (26 AWG to 20 AWG).
14. Krone Insertion Life: Minimum 200 insertions for conductors without degradation of connection quality.
15. Warranty: A minimum of 1 year comprehensive warranty shall be provided by the manufacturer against manufacturing defects and performance issues.

4) Technical Specifications for 100 Pair MDF Box with Krone Module:

1. Designed to terminate 100 telephone pairs.

Shall include ten (10) x 10-pair Krone modules (disconnect type preferred).

2. MDF shall be Outdoor Type with powder-coated CRCA (Cold Rolled Close Annealed) steel.
3. Outdoor Boxes: Minimum IP55 as per IEC 60529 (Protection against dust and low-pressure water jets from any direction).
4. Hinged door with locking arrangement (e.g., cam lock with key, or quarter-turn lock) to prevent unauthorized access.
5. Cable entry/exit points with robust grommets or glands to protect cables and

maintain IP rating.

6. There should be Provision for earthing/grounding terminal.

Sufficient internal space for proper cable management, bending radius, and dressing. The supplied MDF boxes and Krone modules shall be new, unused, of the highest quality, and free from defects in material and workmanship.

7. All modules and accessories shall be fully compatible with each other and with existing standard telecommunication infrastructure.

8. Krone Mounting: Modules shall be snap-in type or screw-in type, securely mounting onto a standard back-mount frame within the MDF box.

9. The equipment shall be suitable for continuous operation in the climatic conditions prevalent in Hyderabad (Telangana, India), including high temperatures, humidity, and dust.

10. Krone Module Type: LSA-PLUS or equivalent Insulation Displacement Connection (IDC) type.

11. Termination: Capable of terminating solid copper conductors from 0.4mm to 0.8mm diameter (26 AWG to 20 AWG).

12. Krone Insertion Life: Minimum 200 insertions for conductors without degradation of connection quality.

13. Warranty: A minimum of 1 year comprehensive warranty shall be provided by the manufacturer against manufacturing defects and performance issues.

5) Technical Specifications for 20 Pair 0.5mm Unarmoured Telephone Cable :

1. Number of Pairs: 20 Pairs (Total 40 insulated conductors).

2. Conductor Material: Solid, annealed, high-conductivity bare copper.

3. Conductor Diameter: 0.5 mm (Nominal).

4. Material: High-Density Polyethylene (HDPE)

5. Application: Extruded uniformly over the conductor.

6. Colour Code: Insulated conductors shall be twisted into pairs with specific colour combinations for easy identification. The standard colour code as per TEC specifications

7. Twisting: Two insulated conductors shall be twisted together with a uniform and optimized lay length to form a pair, minimizing crosstalk and capacitance unbalance.

8. For a 20-pair cable, the 20 twisted pairs shall be laid up (stranded) together to form a compact cable core.

9. Lay lengths shall be optimized to minimize crosstalk and mutual capacitance.

10. Filling Compound (Jelly-Filled): Material: Non-hygroscopic, water-resistant, petroleum jelly compound (thixotropic jelly). Application: The entire air space with

hin the cable core (between insulated conductors and core wrap) shall be completely filled with this compound to provide water-blocking and moisture protection. The jelly shall be compatible with the insulation and sheath materials.

11. Outer Sheath Material: Black, Medium-Density Polyethylene (MDPE) or Linear Low-Density Polyethylene (LLDPE) compound. This material shall be UV stabilized, abrasion-resistant, and suitable for outdoor exposure and direct burial/ducting.

12. Outer Sheath Thickness: Nominal thickness of the outer sheath shall be adequate for mechanical protection and moisture resistance in outdoor environments (e.g., approx. 1.0mm to 1.5mm, depending on overall diameter and standard)

13. Outer Sheath Rip Cord: A rip cord (typically nylon) shall be provided longitudinally under the outer sheath to facilitate easy sheath removal during termination.

14. All components shall comply with relevant Indian Telecommunication Standards (TEC / BSNL specifications like GR/CUG-01/03 AUG 2003 or latest applicable standards), BIS standards (e.g., IS: 8130 for conductors, IS: 5831 for sheathing), and international standards such as ITU-T recommendations, RoHS compliance. The manufacturer shall be ISO 9001 certified.

6) Technical Specifications for 1 PAIR TELEPHONE CABLE:

1. Quantity: 500 Meters
2. Conductor diameter: Not less than 0.5mm
3. Number of pair: 1
4. Conductor material: Annealed tinned copper
5. Insulation: PVC
6. Length of cable in a bundle: 100 Meter

7) Technical Specifications for 2 PAIR TELEPHONE CABLE :

1. Quantity: 1500 Meters
2. Conductor diameter: Not less than 0.5mm
3. Number of pair: 2
4. Conductor material: Annealed tinned copper
5. Insulation: PVC
6. Length of cable in a bundle: 100 Meter

8) Technical Specification for TELEPHONE INSTRUMENT :

1. Type of Telephone: Single push button

2. Connecting Jack: RJ 11
3. Colour Black/grey Material: ABS
4. Connecting Cord Length with each instrument (mtrs) 2M
5. Mounting position: both desk and wall mounting
6. No.of digits in display: 16
7. Display Type: LCD Display
8. Keypad Type : Alphanumeric
9. Display: Yes
10. without Multi-functional Keys and Navigation Keys
11. Number of Call Log Records: Minimum 30
12. No of Incoming call Memory: Minimum 30
13. Number of Redial Memory Records: Minimum 20
14. No of outgoing call memory: Minimum 10
15. Power Adaptor Single Power adapter input AC 120V 60Hz/240V 50HZ
16. Salient Features: Ringing, Dialing, Menu, Instrument, Basic PBT,Ringer Volume Control, Last Number Redial.
17. Accessories inclusive in the scope of the supply: Suitable Handset Cord,User Manual
18. Warranty: Not less than 1 year.

B) Eligibility:

(a) For MSE/Start-up firm: Capability - Equipment & Manufacturing Facilities: The bidder firm should have capability to manufacture and supply of tendered item.

(b) For other firm - Experience and past performance: The bidder firm may be Manufacturer/ Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

C) Payment Terms:

Payment will be made within 30 days after receipt and acceptance by IGMH.

Note: The bidder has to submit the duly sign and seal of the bid document for to ken of acceptance of all the term s and condition of the Bid.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws,

including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---